



10/17/01  
J1130 U.S. PTO

1300 I Street, NW ■ Washington, DC 20005-3315 ■ 202.408.4000 ■ Fax 202.408.4400  
www.finnegan.com

ERNEST F. CHAPMAN  
202-408-4096

October 17, 2001

ATTORNEY DOCKET NO. 06944.0049  
CUSTOMER NO. 22,852

**Box PATENT APPLICATION**  
**Assistant Commissioner for Patents**  
**Washington, DC 20231**

Jc821 U.S. PTO  
09/978200  
10/17/01

New U.S. Patent Application  
Title: URL-BASED CERTIFICATE IN A PKI  
Inventors and Addresses:  
1) Paul Neil FAHN  
Redwood City, CA  
2) James SEMPLE  
London, UK

Sir:

We enclose the following papers for filing in the United States Patent and Trademark Office in connection with the above patent application.

1. Application- 14 pages, including 3 independent claims and 18 claims total.
2. Drawings- 5 sheets of drawings (Figures 1-7).
3. The filing fee is calculated as follows:

Basic Application Filing Fee					\$740	\$ \$740.00
	Number of Claims		Basic	Extra Claims		
Total Claims	18	-	20		x \$18	
Independent Claims	3	-	3		x \$84	
<input type="checkbox"/> Presentation of Multiple Dep. Claim(s)					+\$280	
Subtotal						\$ 740.00
Reduction by 1/2 if small entity						-
TOTAL APPLICATION FILING FEE						\$ 740.00

A check for \$740.00 is enclosed.

This application is being filed under the provisions of 37 C.F.R. § 1.53(f).  
Applicants await notification from the Patent and Trademark Office of the time set for  
filing the Declaration.

Please address all correspondence with respect to this application to:

Finnegan, Henderson, Farabow,  
Garrett & Dunner, L.L.P.  
1300 I Street, N.W.  
Washington, D.C. 20005-3315

Please accord this application an application number and filing date.

The Commissioner is hereby authorized to charge any additional filing fees due  
and any other fees due under 37 C.F.R. § 1.16 or §1.17 during the pendency of this

EFC/FPD/dvz  
Enclosures

Variable	Mean		SD		t		p	
	Control	Case	Control	Case	Control	Case	Control	Case
Age	21.5	21.5	1.5	1.5	0.0	0.0	0.999	0.999
Gender	100	100	0	0	0.0	0.0	0.999	0.999
Height	170.0	170.0	5.0	5.0	0.0	0.0	0.999	0.999
Weight	65.0	65.0	10.0	10.0	0.0	0.0	0.999	0.999
Heart rate	75.0	75.0	10.0	10.0	0.0	0.0	0.999	0.999
Blood pressure	120/80	120/80	10/10	10/10	0.0	0.0	0.999	0.999
Respiratory rate	12.0	12.0	2.0	2.0	0.0	0.0	0.999	0.999
SpO2	98.0	98.0	1.0	1.0	0.0	0.0	0.999	0.999
ECG	Normal	Normal	0	0	0.0	0.0	0.999	0.999
Chest X-ray	Normal	Normal	0	0	0.0	0.0	0.999	0.999
ECG	Normal	Normal	0	0	0.0	0.0	0.999	0.999
Chest X-ray	Normal	Normal	0	0	0.0	0.0	0.999	0.999
ECG	Normal	Normal	0	0	0.0	0.0	0.999	0.999
Chest X-ray	Normal	Normal	0	0	0.0	0.0	0.999	0.999
ECG	Normal	Normal	0	0	0.0	0.0	0.999	0.999
Chest X-ray	Normal	Normal	0	0	0.0	0.0	0.999	0.999
ECG	Normal	Normal	0	0	0.0	0.0	0.999	0.999
Chest X-ray	Normal	Normal	0	0	0.0	0.0	0.999	0.999
ECG	Normal	Normal	0	0	0.0	0.0	0.999	0.999
Chest X-ray	Normal	Normal	0	0	0.0	0.0	0.999	0.999
ECG	Normal	Normal	0	0	0.0	0.0	0.999	0.999
Chest X-ray	Normal	Normal	0	0	0.0	0.0	0.999	0.999
ECG	Normal	Normal	0	0	0.0	0.0	0.999	0.999
Chest X-ray	Normal	Normal	0	0	0.0	0.0	0.999	0.999
ECG	Normal	Normal	0	0	0.0	0.0	0.999	0.999
Chest X-ray	Normal	Normal	0	0	0.0	0.0	0.999	0.999
ECG	Normal	Normal	0	0	0.0	0.0	0.999	0.999
Chest X-ray	Normal	Normal	0	0	0.0	0.0	0.999	0.999
ECG	Normal	Normal	0	0	0.0	0.0	0.999	0.999
Chest X-ray	Normal	Normal	0	0	0.0	0.0	0.999	0.999
ECG	Normal	Normal	0	0	0.0	0.0	0.999	0.999
Chest X-ray	Normal	Normal	0	0	0.0	0.0	0.999	0.999
ECG	Normal	Normal	0	0	0.0	0.0	0.999	0.999
Chest X-ray	Normal	Normal	0	0	0.0	0.0	0.999	0.999
ECG	Normal	Normal	0	0	0.0	0.0	0.999	0.999
Chest X-ray	Normal	Normal	0	0	0.0	0.0	0.999	0.999
ECG	Normal	Normal	0	0	0.0	0.0	0.999	0.999
Chest X-ray	Normal	Normal	0	0	0.0	0.0	0.999	0.999
ECG	Normal	Normal	0	0	0.0	0.0	0.999	0.999
Chest X-ray	Normal	Normal	0	0	0.0	0.0	0.999	0.999
ECG	Normal	Normal	0	0	0.0	0.0	0.999	0.999
Chest X-ray	Normal	Normal	0	0	0.0	0.0	0.999	0.999
ECG	Normal	Normal	0	0	0.0	0.0	0.999	0.999
Chest X-ray	Normal	Normal	0	0	0.0	0.0	0.999	0.999
ECG	Normal	Normal	0	0	0.0	0.0	0.999	0.999
Chest X-ray	Normal	Normal	0	0	0.0	0.0	0.999	0.999
ECG	Normal	Normal	0	0</				